2014 PRODUCT CATALOG







PRODUCT CATEGORIES:

- Rigid/IMC Conduit Bodies
- Rigid/IMC Conduit Fittings
- Red Fire Alarm Boxes & Fittings
- EMT Fittings
- EMT Conduit Bodies
- PUSH-EMT®
- Liquid Tight Fittings
- Portable Cord Connectors
- Snap-In Fittings
- Flexible Metal Conduit Fittings
- Armored/Metal Clad Cable Fittings
- Transition Fittings
- Nonmetallic Cable Fittings
- Grounding Products
- Straps, Clamps and Hangers
- Service Entrance
- Voice/Data/Video
- Hazardous Location
- Specialty Products
- Technical Guide

SEE THE DIFFERENCE

BRIDGEPORT

www.bptfittings.com

THE BRIDGEPORT FITTINGS DIFFERENCE





It's more than a catchy name to get your attention.
It's more than a marketing program to get your business.
It's what makes us different. And better.

It's the Bridgeport Fittings Difference. We lower your cost of doing business by delivering quality, service and trouble-free performance – consistently.
No surprises. No disappointments. No excuses.

And that's a difference that helps us all.

BRIDGEPORT

www.bptfittings.com

Liquid Tight Connectors, 90°



90° connector for use with metallic and nonmetallic “Type B” liquid tight conduit.

UL File No. E9391

CSA File No. LR39354

Die Cast Zinc

Catalog Number	Trade Size	Unit Qty.	Std. Pkg.
469-LT2	3/8"	25	100
470-LT2	1/2"	25	100
471-LT2	3/4"	10	50
472-LT2	1"	5	25
473-LT2	1 1/4"	5	25

Die Cast Zinc / Insulated Throat - 105°C

Catalog Number	Trade Size	Unit Qty.	Std. Pkg.
469-LTI2	3/8"	25	100
470-LTI2	1/2"	25	100
471-LTI2	3/4"	10	50
472-LTI2	1"	5	25
473-LTI2	1 1/4"	5	2

Cast Zinc

Catalog Number	Trade Size	Unit Qty.	Std. Pkg.
474-LT2	1 1/2"	2	10
475-LT2	2"	---	5
476-LT2	2 1/2"	---	1
477-LT2	3"	---	1
478-LT2	3 1/2"	---	1
479-LT2	4"	---	1

Cast Zinc / Insulated Throat - 105°C

Catalog Number	Trade Size	Unit Qty.	Std. Pkg.
474-LTI2	1 1/2"	2	10
475-LTI2	2"	---	5
476-LTI2	2 1/2"	---	1
477-LTI2	3"	---	1
478-LTI2	3 1/2"	---	1
479-LTI2	4"	---	1