BEAVER PAPER
a member of Koehler PAPER GROUP

TexPrint®XP

EXTREME PERFORMANCE
Digital dye-sublimation print paper

TexPrint®XP is the original sublimation paper that does it all. Excellent for hard surfaces and metal transfers. Dries fast, resists cockling and takes extreme ink-loads while maintaining high definition and color fidelity.

FEATURES:	CUSTOMER BENEFITS:
Largest selection of weights, widths, and roll lengths.	With two basis weights, widths to 3.2 meters and roll lengths to "mini-jumbo," TexPrint®XP is available in the exact put-up needed for your print environment. Enjoy less waste, fewer roll changes and more up-time.
Quick-Dry	TexPrint®XP dries fast, eliminating smudges and handling issues.
High color yield	More color on your fabric, less ink left on your print-sheet.
Recyclable	Every ingredient in TexPrint®XP is fully recyclable.
Works on hard and soft applications	Preferred by professional photographers, and exhibit builders, TexPrint®XP works well on both hard and soft substrates.
Waste reduction	Available in individually boxed or bulk packaging. Volume users can save time, labor and the planet by ordering bulk packaging.

Properties

Grade	GSM	Applications
TexPrint®XP/105	105 gsm basis weight	Hard and Soft Surfaces, Photography, Home Décor, Tradeshow exhibits
TexPrint®XP/125	125 gsm basis weight	Hard and Soft Surfaces, Signage, Home Décor, Exhibits, Banners, Blinds
TexPrint®XP/140	140 gsm basis weight	Hard and Soft Surfaces, Signage, Home Décor, Exhibits, Banners, Blinds

TexPrint®XP Properties			
	TexPrint®XP	**TexPrint®XP**	**TexPrint®XP**
Thickness	140 µm	152 µm	184 µm
Basis Weight	105 gsm	125 gsm	140 gsm
Coating	Clay	Clay	Clay
Core I.D.	76 mm / 3”	76 mm / 3”	76 mm / 3”
Mini Jumbo Rolls	Yes	Yes	Yes
Standard Widths			
17” / 43.0 cm	•		
24” / 61.0 cm	•	•	•
36” / 91.4 cm	•	•	•
44” / 111.8 cm	•	•	•
54” / 137.2 cm	•	•	•
64” / 162.0 cm	•	•	•
75” / 190.0 cm	•	•	
104” / 264.0 cm	•		•
126” / 320.0 cm		•	

Contact us for more information on any of our sublimation media products
- TexPrint® Sublimation Print Paper
- ProTex™ Protection Tissue
- TexStyles® Graphic Fabrics
- Sewn Products

Customer Service & Sales
770-935-5080 x1
1-800-768-2700
orders@beaverpaper.com

Product Information
info@beaverpaper.com

Beaver Paper, a member of Koehler Paper
2420 Tech Center Parkway, Bldg. 140
Lawrenceville, GA 30043

Beaver Paper GmbH
Im Lossenfeld 19
77731 Willstätt, Germany



www.beaverpaper.com

BEAVER PAPER
a member of Koehler PAPER GROUP

TexPrint®XP

Hochleistungs-Farbsublimaonsdruckpapier für den Digitaldruck

TexPrint®XP ist ein Originalpapier, das alles kann. Professionelle Fotografen bestehen auf diese Qualität für harte Oberflächen und Metalle. TexPrint®XP ist das am häufigsten eingesetzte Farbsublimaonspapier. Trocknet sofort, widersteht Wellenbildung und hat eine hohe Farbaufnahme, während die hohe Druckauflösung und Farbtreue erhalten bleibt.

MERKMALE:	KUNDENVORTEILE:
Große Auswahl an Flächengewichten, Rollenbreiten und Rollenlängen.	TexPrint®XP ist in 2 Flächengewichten, einer Rollenbreite von 3.20 m und einer Rollenlänge bis zu „Mini-Jumbo” erhältlich. Durch den Einsatz von Großrollen haben Sie weniger Abfall, weniger Rollenwechsel und längere Betriebszeiten.
Schnelle Farbtrocknung	TexPrint®XP verhindert Schmieren und ist einfach zu handeln. Es fühlt sich sofort trocken an.
Höchste Farbübertragung	Mehr Farbe auf Ihrem Stoff, weniger Tinte auf Ihrem Druckbogen.
Recycelbar	TexPrint®XP ist vollständig recycelbar.
Für harte und weiche Substrate	TexPrint®XP wird von professionellen Fotografen geschätzt und eignet sich für harte wie auch für weiche Substrate.
Abfallreduzierung	Erhältlich in Einzelverpackungen oder paleert. Kunden können durch die Bestellung von Großverpackungen Zeit, Arbeit und zusätzlichen Abfall einsparen.

Eigenschaen

Sorte	Basisgewicht	Anwendungen
TexPrint®XP/105	105 g/m2	Harte und weiche Substrate, Fotografie, Wohnraum, Messeausstellungen
TexPrint®XP/125	125 g/m2	Harte und weiche Substrate, Fotografie, Wohnraum, Messeausstellungen
TexPrint®XP/140	140 g/m2	Harte und weiche Substrate, Schilder, Wohnraum, Messeausstellungen, Banner, Jalousien

TexPrint®XP Properties			
	TexPrint®XP	**TexPrint®XP**	**TexPrint®XP**
Basis Weight	105 gsm	125 gsm	140 gsm
Thickness	140 µm	152 µm	184 µm
Coating	Clay	Clay	Clay
Core I.D.	76 mm / 3”	76 mm / 3”	76 mm / 3”
Mini Jumbo Rolls	Yes	Yes	Yes
Standard Widths			
17” / 43.0 cm	•		
24” / 61.0 cm	•	•	•
36” / 91.4 cm	•	•	•
44” / 111.8 cm	•	•	•
54” / 137.2 cm	•	•	•
64” / 162.0 cm	•	•	•
75” / 190.0 cm	•	•	
104” / 264.0 cm	•		•
126” / 320.0 cm		•	
Standard 2” Core I.D.			
Core I.D.	51 mm / 2”		
13” x 110’, 2” core	•		
13” x 300’, 2” core	•		
17” x 110’, 2” core	•		
17” x 300’, 2” core	•		
24” x 110’, 2” core	•		

Bitte kontakeren Sie uns für weitere Informaonen zu unseren Produkten.
- TexPrint® Sublimationsdruckpapier
- ProTex™ Schutzpapier

Kundenservice
+49 785293689-0
customerservices@beaverpaper.de

Beaver Paper GmbH
Im Lossenfeld 19
77731 Willstätt
Germany



www.beaverpaper.com